ELSEVIER

Volume 303–304, 24 May 2000

Journal of
ALLOYS
AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Foreword xi

Preface xii

Professor M. Brian Maple. Recipient of the Ninth Frank H. Spedding Award xiii
L.C. Thompson, (Duluth, MN, USA)

Three decades of prospecting for novel electronic states and phenomena in f-electron materials 1
M.B. Maple (San Diego, CA, USA)

Environmental Lanthanide and Actinide Chemistry

Geomicrobiological controls on light rare earth element, Y and Ba distributions during granite weathering and soil formation . 30
A.E. Taunton, S.A. Welch and J.F. Banfield (Madison WI, USA)

A spectroscopic investigation of temperature effects on solution complexation in the Eu^{3+}–acetate system 37
M. Yeh, T. Riedener, K.L. Bray and S.B. Clark (Pullman, WA, USA)

Cerium, uranium, and plutonium behavior in glass-bonded sodalite, a ceramic nuclear waste form 42
L.R. Morss, M.A. Lewis, M.K. Richmann and D. Lexa (Argonne, IL, USA)

Rare Earth Materials for Further Automobiles

Preparation of ceria–zirconia sub-catalysts for automotive exhaust cleaning 49
T. Masui, T. Ozaki, K.-i. Machida and G.-y. Adachi (Osaka, Japan)

Microstructure and oxygen release properties of catalytic alumina-supported CeO_2–ZrO_2 powders 56
M. Ozawa, K. Matuda and S. Suzuki (Gifu, Japan)

The role of rare earth dopants in nanophase zirconia catalysts for automotive emission control 60
C.-K. Loong (Argonne, IL, USA) and M. Ozawa (Tajimi, Japan)

Coordination Chemistry

Trivalent lanthanide ions: versatile coordination centers with unique spectroscopic and magnetic properties 66
J.-C.G. Bünzli, N. André, M. Elhabiri, G. Muller (Lausanne, Switzerland) and C. Piguet (Geneva, Switzerland)

C_5Me_5/ER-Ligated samarium(II) complexes (ER=OAr, SAr, NR^1R^2): a new type of olefin polymerization catalysts. Presented at the 22nd Rare Earth Research Conference, Argonne, July 10–15, 1999 (Abstract No. E-2) 75
Z. Hou and Y. Wakatsuki (Saitama, Japan)

The use of pyrazolylborates as ancillaries for lanthanide complexes 83
A.C. Hillier, S.Y. Liu, A. Sella (London, UK) and M.R.J. Elsegood (Newcastle upon Tyne, UK)

Tridentate binding units as structural patterns for the design of nine-coordinate lanthanide building blocks with predetermined properties 94
C. Piguet, C. Edder, H. Nozary, F. Renaud, S. Rigault (Geneva, Switzerland) and J.-C.G. Bünzli (Lausanne, Switzerland)

Interaction of trivalent lanthanide cations with phosphoryl derivatives, amide, anisole, pyridine and triazine ligands: a quantum mechanics study 104
M. Baaden, F. Berny, C. Boehme, N. Muzet, R. Schurhammer and G. Wipff (Strasbourg, France)

Eu(III) complexation constants with glutamine and serine in aqueous methanol 112
H.B. Silber, N. Ghajari and V. Maraschin (San Jose, CA, USA)

Hydrated neodymium(III) and europium(III) picrate complexes with pyrazine-*N*-oxide 116
E.P. Marinho, D.M.A. Melo (Natal, Brazil), L.B. Zinner, G. Vicentini (Natal and São Paulo, Brazil), J. Zukerman-Schpector (São Paulo, Brazil) and K. Zinner (Natal, Brazil)

Structures of the 1,10-phenanthroline and 2,2′-dipyridyl adducts of tris(2,6-dimethylheptane-3,5-dionato)europium(III) 121
D.F. Moser, L.C. Thompson (Duluth, MN, USA) and V.G. Young Jr. (Minneapolis, MN, USA)

Stilbazolium dyes containing rare-earth ions 125
K. Binnemans (Heverlee (Leuven), Belgium)

Elsevier Science S.A.

A new spectrophotometric method for the determination and simultaneous determination of tungsten and molybdenum in polyoxometalates and their Ln(III) complexes 132
S. Lis and S. But (Poznań, Poland)

Aqueous complexation of trivalent lanthanide and actinide cations by *N,N,N′,N′*-tetrakis(2-pyridylmethyl)ethylenediamine . . . 137
M.P. Jensen, L.R. Morss, J.V. Beitz (Argonne, IL, USA) and D.D. Ensor (Cookeville, TN, USA)

Kinetic study of the thermal decomposition of the compound of terbium(III) trifluoromethanesulfonate and hexamethylphosphoramide (HMPA) employing both Zsakó's and nonlinear methods 142
M.F.F. Pedrosa, D.M.A. Melo, H. Scatena Jr., F.M.M. Borges, L.B. Zinner and A.O. Silva (Natal, Brazil)

Mesomorphic lanthanide complexes with azomethine ligands 146
R. Van Deun and K. Binnemans (Heverlee (Leuven), Belgium)

NMR study of lanthanide (III) nitrate complexes in CMPO/TBP systems 151
Y. Sano, J. Karino, T. Koyama and H. Funasaka (Ibaraki, Japan)

Preparation and properties of complexes between rare earth trifluoroacetates and hexamethylphosphoramide (HMPA) 157
V.S. Oliveira, D.M.A. Melo, Z. Rocha da Silva, L.B. Zinner and K. Zinner (Natal, Brazil)

Synthesis and structure of lanthanide(III) picrate complexes with 1,3-dithiane-1-oxide 162
P. Miranda Jr., C.C. Carvalho, J. Zukerman-Schpector, P.C. Isolani, G. Vicentini and L.B. Zinner (São Paulo, Brazil)

Synthesis, characterization and structure of lanthanide nitrate complexes with 2-azacyclononanone (AZA) 168
H.K.S. de Souza, D.M.A. Melo, J.D. Gomes Fernandes, K. Zinner (Natal, Brazil), L.B. Zinner (Natal and São Paulo, Brazil), J. Zukerman-Schpector (São Paulo, Brazil) and G. Vicentini (Natal and São Paulo, Brazil)

Lanthanide complexes with C_2 symmetric ligands for use in enantioselective organic synthesis 173
H.C. Aspinall, J.L.M. Dwyer, N. Greeves and P.M. Smith (Liverpool, UK)

Synthesis and characterization of chlorovinylcyclopentadienyl lanthanides 178
N. Pereira Alves, A. de Souza Maia and W. de Oliveira (São Paulo, Brazil)

Spectroscopic characterization of trivalent f-element (Eu, Am) solid carbonates 182
W. Runde, C. Van Pelt (Los Alamos, NM, USA) and P.G. Allen (Livermore, CA, USA)

Applied Spectroscopy

Synthesis and properties of colloidal lanthanide-doped nanocrystals 191
M. Haase, K. Riwotzki, H. Meyssamy and A. Kornowski (Hamburg, Germany)

Electron transfer processes in rare earth doped insulators 198
U. Happek (Athens, GA, USA), S.A. Basun (St. Petersburg, Russia), J. Choi, J.K. Krebs (Athens, GA, USA) and M. Raukas (Beverly, MA, USA)

Rare earth-doped confined structures for amplifiers and lasers 207
B. Jacquier, E. Lebrasseur, S. Guy, A. Belarouci and F. Menchini (Villeurbanne, France)

f-Element Physics

The nonpareil $R_5(Si_xGe_{1-x})_4$ phases 214
K.A. Gschneidner Jr., V.K. Pecharsky, A.O. Pecharsky, V.V. Ivtchenko and E.M. Levin (Ames, IA, USA)

Magnetic properties of icosahedral R–Mg–Zn quasicrystals (R=Y, Tb, Dy, Ho and Er) 223
I.R. Fisher, Z. Islam, J. Zarestky, C. Stassis, M.J. Kramer, A.I. Goldman and P.C. Canfield (Ames, IA, USA)

A novel principle for cooling by adiabatic pressure application in rare-earth compounds 228
T. Strässle, A. Furrer (Zürich and Villigen, Switzerland), P. Lacorre (Le Mans, France) and K.A. Müller (Zürich, Switzerland)

Iron magnetism in cubic Laves phase itinerant ferromagnets 232
L. Paolasini (Grenoble, France) and G.H. Lander (Karlsruhe, Germany)

Competing ground states in heavy-fermion materials 239
J.D. Thompson, H. Hegger, D. Louca, G.H. Kwei, R. Movshovich, C. Petrovic and J.L. Sarrao (Los Alamos, NM, USA)

Disorder and correlations in extended superconducting nanostructures 245
D.H. Reich, D.M. Silevitch, C.L. Chien (Baltimore, MD, USA), D. Davidovic′ (Cambridge, MA, USA) and S.B. Field (Fort Collins, CO, USA)

Giant negative magnetoresistance in GdI_2 252
K. Ahn (Stuttgart, Germany), C. Felser, R. Seshadri (Mainz, Germany), R.K. Kremer and A. Simon (Stuttgart, Germany)

Superconductivity in layered lanthanum carbide halides: $La_2C_2(X,X')_2$ (X,X′=Cl, Br, I) 257
K. Ahn, R.K. Kremer, Hj. Mattausch and A. Simon (Stuttgart, Germany)

Dynamic modulus relaxation of $ErBa_2Cu_3O_{6+x}$ near the orthorhombic to tetragonal phase transition at 200 kHz 262
M. Ozawa, M. Inagaki and S. Suzuki (Yokohama, Japan)

Investigation of the ferromagnetism in $RCrSb_3$ (R=La, Ce, Pr, Nd) 265
M.L. Leonard (Carbondale, IL, USA), I.S. Dubenko (Carbondale, IL, USA and Moscow, Russia) and N. Ali (Carbondale, IL, USA)

$ThMn_{12}$-type magnetic $ErFe_7Al_5$ and non-magnetic YFe_7Al_5 studied by X-ray and neutron diffraction 270
W. Schäfer, B. Barbier (Bonn, Germany) and I. Halevy (Beer-Sheva, Israel)

Magnetostriction of Dy and Ho studied by X-ray diffraction 276
K. Tajima, H. Ohsumi, Y. Kida and K. Hayashi (Yokohama, Japan)

The energy matrix using determinantal product states applied to Ho:YAG 280
S. Edvardsson (Sundsvall, Sweden) and D. Åberg (Uppsala, Sweden)

Evolution of the magnetic behavior of the Co subsystem in YCo_3 caused by small variations in stoichiometry and Al substitution 285
I. Dubenko (Moscow, Russia and Carbondale, IL, USA), I.Yu. Gaidukova, A.S. Markosyan (Moscow, Russia), M.S. Reis (Rio de Janeiro, Brazil), M. Leonard and N. Ali (Carbondale, IL, USA)

The magnetic characteristics of the $Tb(Ni_{1-x}Co_x)_2Ge_2$ system 289
T.A. Wiener, I.R. Fisher and P.C. Canfield (Ames, IA, USA)

Magnetism of $RCaCrO_4$ (R: Pr, Nd, Sm and Eu) oxides 293
J.R. de Paz, J.L. Martínez and R. Sáez Puche (Madrid, Spain)

Magnetic properties of Dy in $Pb_2Sr_2DyCu_3O_8$ 298
S. Skanthakumar, L. Soderholm (Argonne, IL, USA) and R. Movshovich (Los Alamos, NM, USA)

Trivalent rare earth ion conduction in the scandium tungstate type structure 303
N. Imanaka, S. Tamura, Y. Kobayashi, Y. Okazaki, M. Hiraiwa, T. Ueda and G. Adachi (Osaka, Japan)

f-Element Spectroscopy

Near-infrared to visible photon upconversion processes in lanthanide doped chloride, bromide and iodide lattices 307
H.U. Güdel and M. Pollnau (Bern, Switzerland)

A new procedure to obtain Eu^{3+} doped oxide and oxosalt phosphors 316
O.A. Serra, S.A. Cicillini and R.R. Ishiki (Ribeirão Preto, Brazil)

Thermoluminescence properties of SiO_2: Al, Eu 320
M. Ohta, M. Yasuda and M. Takami (Niigata, Japan)

The measurement of circularly polarized luminescence from racemic lanthanide complexes prepared in sol-gels 325
E. Huskowska, P. Gawryszewska, J. Legendziewicz (Wrocław, Poland), C.L. Maupin and J.P. Riehl (Houghton, MI, USA)

Near infrared (1.54 μm) luminescence properties of erbium doped gallium nitride 331
U. Hömmerich, J.T. Seo, M. Thaik (Hampton, VA, USA), C.R. Abernathy, J.D. MacKenzie (Gainesville, FL, USA) and J.M. Zavada (London, UK)

Luminescent properties of diketonates of trivalent europium with dimethyl sulfoxide 336
H.F. Brito (São Paulo, Brazil), O.L. Malta (Recife, Brazil) and J.F.S. Menezes (São Paulo, Brazil)

A Raman spectroscopic study of rare earth mixed oxides 340
J.-C. Panitz, J.-C. Mayor, B. Grob and W. Durisch (Villigen, Switzerland)

The crystal dependent open-shell polarizability of F-elements: higher order contributions 345
D. Åberg (Uppsala, Sweden) and S. Edvardsson (Sundsvall, Sweden)

Measurement and simulation of the energy levels of $R=Pr^{3+}$ and Nd^{3+} in $GaRGe_2O_7$ 349
G. Lozano, C. Cascales, C. Zaldo (Madrid, Spain) and P. Porcher (Paris, France)

Optical transitions probabilities of Dy^{3+} ions in fluoroindate glass 355
A. Flórez, V.A. Jerez and M. Flórez (Bucaramanga, Colombia)

Effects of thermal annealing on spectroscopic properties of Eu^{3+} in $Sr_{1-x}B_xNb_2O_6$ films 360
S.T. Li, G.K. Liu (Argonne, IL, USA), H. Liu and F.E. Fernandez (Mayaguez, Puerto Rico, USA)

Emission quantum yield of europium (III) mixed complexes with thenoyltrifluoroacetonate and some aromatic ligands 364
F.R.G. e Silva (Recife, Brazil), J.F.S. Menezes (Sao Paulo, Brazil), G.B. Rocha, S. Alves (Recife, Brazil), H.F. Brito (Sao Paulo, Brazil), R.L. Longo and O.L. Malta (Recife, Brazil)

Surface and size effects and energy transfer phenomenon on the luminescence of nanocrystalline X_1–Y_2SiO_5:Eu^{3+} 371
C.-K. Duan (Christchurch, New Zealand and Chongqing, P.R. China), M. Yin, K. Yan (Hefei, P.R. China) and M.F. Reid (Christchurch, New Zealand)

Electric-dipole $4f^N$–$4f^N$ transition intensity parametrizations for lanthanides: multiple indistinguishable parameter sets and multiple local minima 376
G.W. Burdick, R.L. Summerscales (Berrien Springs, MI, USA), S.M. Crooks, M.F. Reid (Christchurch, New Zealand) and F.S. Richardson (Charlottesville, VA, USA)

Fitting of parameters to represent the circular dichroism and transition intensities of $4f^N$–$4f^N$ transitions of lanthanide ions . . 383
S.M. Crooks, M.F. Reid (Christchurch, New Zealand) and G.W. Burdick (Berrien Springs, MI, USA)

Spectroscopic study of neodymium soaps in 1-pentanol 387
K. Binnemans, P. Martello, I. Couwenberg, H. De Leebeeck and C. Görller-Walrand (Heverlee (Leuven), Belgium)

Non-linear Optical Properties

Passively *Q*-switched Nd:YAG microchip lasers and applications 392
J.J. Zayhowski (Lexington, MA, USA)

Overview of the laser and non-linear optical properties of calcium-gadolinium-oxo-borate $Ca_4GdO(BO_3)_3$ 401
G. Aka (Paris, France), F. Mougel (Paris and Nemours, France), F. Augé (Orsay, France), A. Kahn-Harari, D. Vivien, J.M. Bénitez (Paris, France), F. Salin (Palaiseau, France), D. Pelenc (Nemours, France), F. Balembois, P. Georges, A. Brun (Orsay, France), N. Le Nain and M. Jacquet (Paris, France)

Solid State Chemistry

Alkaline earth/rare earth halides and related systems 409
G. Meyer (Köln, Germany)

Synthesis and characterization of Na_2GdOPO_4 and Na_2LaOPO_4 416
Z.S. Gönen, M. Kizilyalli and H.Ö. Pamuk (Ankara, Turkey)

The study of process production of polishing powder based on cerium dioxide 421
V.D. Kosynkin, A.A. Arzgatkina, E.N. Ivanov (Moscow, Russia), M.G. Chtoutsa, A.I. Grabko, A.V. Kardapolov and N.A. Sysina (Glazov, Russia)

Synthesis and properties of some insoluble high-temperature neodymium ceramic compounds 426
A.A. Minaev, D.G. Kuznetsov and B.F. Gulev (Moscow, Russia)

An investigation of the rare-earth telluride system $BaLn_2Te_4$ (Ln=Sm–Tm, Y): syntheses, crystal structures, and magnetic properties 432
A.A. Narducci, Y. Yang, M.A. Digman, A.B. Sipes and J.A. Ibers (Evanston, IL, USA)

Raman and X-ray diffraction studies of terbium trichloride: phase characterization and temperature relationship 440
H.G. Morrison (Knoxville, TN, USA), Z. Assefa, R.G. Haire (Oak Ridge, TN, USA) and J.R. Peterson (Knoxville and Oak Ridge, TN, USA)

Syntheses, crystal structures, and thermal behavior of the rare earth amidosulfates $M(NH_2SO_3)_3 \cdot 2H_2O$ (M=Pr, Nd, Sm) 445
M.S. Wickleder (Köln, Germany)

Solid State Electrolytes

A solid oxide fuel cell based on Sr- and Mg-doped $LaGaO_3$ electrolyte: the role of a rare-earth oxide buffer 454
K. Huang and J.B. Goodenough (Austin, TX, USA)

Hydrothermal synthesis and properties of $Ce_{1-x}Eu_xO_{2-\delta}$ solid solutions 465
P. Shuk, M. Greenblatt and M. Croft (Piscataway, NJ, USA)

X-ray and Neutron Scattering

Resonant X-ray magnetic scattering: antiferromagnetic metals 472
N. Bernhoeft (Grenoble, France)

Magnetic fluctuations in $CeCu_{6-x}Au_x$ at the nonmagnetic–magnetic quantum phase transition 480
H.v. Löhneysen, A. Schröder and O. Stockert (Karlsruhe, Germany)

Neutron and X-ray scattering studies of magnetism in non-superconducting $PrBa_2Cu_3O_{6+x}$ 489
A.T. Boothroyd (Oxford, UK)

Simulation of the paramagnetic susceptibility in rare earth oxychlorides 498
J. Hölsä, R.-J. Lamminmäki, M. Lastusaari (Turku, Finland), P. Porcher (Paris, France) and R. Sáez-Puche (Madrid, Spain)

Magnetic phase diagram of flux-grown single crystals of CeSb 505
T.A. Wiener and P.C. Canfield (Ames, IA, USA)

The formation and stability of $[EuP_5W_{30}O_{110}]^{12-}$ and $[AmP_5W_{30}O_{110}]^{12-}$ 509
C.W. Williams, M.R. Antonio and L. Soderholm (Argonne, IL, USA)

Separations and Catalysis

Hydrogenation behavior of propyne on supported Eu–Pd and Yb–Pd bimetallic catalysts with anomalous hydrogen uptake . . . 514
H. Imamura, M. Suzuki, Y. Sakata and S. Tsuchiya (Ube, Japan)

Beneficiation of bastnaesite by a multi-gravity separator 520
G. Özbayoğlu and M. Ümit Atalay (Ankara, Turkey)

Solvent extraction separation of uranium (VI) with acetatecalix[*n*]arene and β-diketone (HTTA) 524
M.C.F.C. Felinto and V.F. Almeida (São Paulo, Brazil)

Author Index of Volumes 303–304 529

Subject Index of Volumes 303–304 531

Keyword list